

施設排ガス測定データ

| 2024年 3月 | 一酸化炭素 (ppm) | | | | | | 硫黄酸化物 (ppm) | | | | | | 塩化水素 (ppm) | | | | | | ばいじん (g/m ³ N) | | | | | | 窒素酸化物 (ppm) | | | | | | |
|-------------|-------------|--------|-----|-----|----------|-----|-------------|-------------|----------|-----|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|-------------------------|------|------|------|------|-------------|---------|-----|-----|-----|-----|-----|
| | 最大 | | 最小 | | 平均 | | 最大 | | 最小 | | 平均 | | 最大 | | 最小 | | 平均 | | 最大 | | 最小 | | 平均 | | 最大 | | 最小 | | 平均 | | |
| | 1号 | 2号 | 1号 | 2号 | 1号 | 2号 | 1号 | 2号 | 1号 | 2号 | 1号 | 2号 | 1号 | 2号 | 1号 | 2号 | 1号 | 2号 | 1号 | 2号 | 1号 | 2号 | 1号 | 2号 | 1号 | 2号 | 1号 | 2号 | 1号 | 2号 | |
| 1 | 金 | 1 | 1 | 0 | 1 | 0 | 1 | 6 | 5 | 1 | 1 | 2 | 3 | 29 | 31 | 12 | 11 | 20 | 22 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 37 | 36 | 28 | 23 | 33 | 33 |
| 2 | 土 | 0 | 1 | 0 | 1 | 0 | 1 | 4 | 6 | 1 | 3 | 3 | 4 | 31 | 32 | 9 | 15 | 21 | 24 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 37 | 36 | 30 | 27 | 34 | 33 |
| 3 | 日 | 1 | 1 | 0 | 1 | 0 | 1 | 4 | 6 | 1 | 1 | 2 | 3 | 30 | 27 | 13 | 10 | 20 | 19 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 36 | 35 | 25 | 16 | 33 | 30 |
| 4 | 月 | 1 | 1 | 0 | 1 | 0 | 1 | 5 | 5 | 1 | 1 | 2 | 3 | 32 | 30 | 9 | 2 | 20 | 20 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 36 | 35 | 29 | 23 | 33 | 32 |
| 5 | 火 | 0 | 1 | 0 | 1 | 0 | 1 | 6 | 7 | 2 | 1 | 3 | 4 | 28 | 28 | 11 | 11 | 17 | 20 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 38 | 37 | 26 | 27 | 33 | 32 |
| 6 | 水 | 0 | 1 | 0 | 1 | 0 | 1 | 5 | 6 | 2 | 2 | 3 | 4 | 32 | 31 | 14 | 18 | 23 | 26 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 36 | 37 | 28 | 25 | 34 | 32 |
| 7 | 木 | 1 | 1 | 0 | 1 | 0 | 1 | 4 | 4 | 1 | 1 | 2 | 2 | 27 | 25 | 7 | 10 | 14 | 18 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 37 | 34 | 26 | 19 | 32 | 30 |
| 8 | 金 | 1 | 2 | 0 | 1 | 1 | 1 | 5 | 5 | 1 | 1 | 3 | 3 | 28 | 29 | 2 | 4 | 14 | 16 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 36 | 35 | 29 | 17 | 33 | 31 |
| 9 | 土 | 1 | 2 | 1 | 1 | 1 | 1 | 4 | 4 | 1 | 1 | 2 | 2 | 19 | 19 | 5 | 7 | 11 | 11 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 36 | 35 | 31 | 30 | 34 | 33 |
| 10 | 日 | 1 | 7 | 1 | 2 | 1 | 2 | 3 | 7 | 1 | 1 | 2 | 4 | 19 | 26 | 6 | 9 | 12 | 18 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 40 | 37 | 22 | 18 | 33 | 32 |
| 11 | 月 | 1 | 2 | 1 | 2 | 1 | 2 | 6 | 6 | 1 | 3 | 3 | 5 | 30 | 33 | 5 | 18 | 17 | 25 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 36 | 37 | 25 | 23 | 33 | 31 |
| 12 | 火 | 1 | 5 | 1 | 2 | 1 | 2 | 2 | 6 | 1 | 1 | 1 | 3 | 8 | 26 | 2 | 5 | 5 | 14 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 38 | 36 | 28 | 22 | 33 | 32 |
| 13 | 水 | 2 | 2 | 1 | 2 | 1 | 2 | 3 | 4 | 1 | 1 | 1 | 3 | 17 | 30 | 2 | 10 | 8 | 19 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 37 | 37 | 27 | 26 | 34 | 32 |
| 14 | 木 | 2 | 2 | 1 | 2 | 1 | 2 | 4 | 5 | 1 | 1 | 2 | 3 | 16 | 28 | 1 | 10 | 7 | 18 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 39 | 36 | 27 | 22 | 33 | 31 |
| 15 | 金 | 立下げ | 2 | 立下げ | 2 | 立下げ | 2 | 立下げ | 6 | 立下げ | 2 | 立下げ | 4 | 立下げ | 32 | 立下げ | 14 | 立下げ | 23 | 立下げ | 0.00 | 立下げ | 0.00 | 立下げ | 0.00 | 立下げ | 38 | 立下げ | 20 | 立下げ | 33 |
| 16 | 土 | | 2 | | 2 | | 2 | | 5 | | 1 | | 3 | | 32 | | 7 | | 20 | | 0.00 | | 0.00 | | 0.00 | | 36 | | 30 | | 35 |
| 17 | 日 | | 2 | | 2 | | 2 | | 7 | | 3 | | 4 | | 23 | | 10 | | 16 | | 0.00 | | 0.00 | | 0.00 | | 37 | | 33 | | 35 |
| 18 | 月 | | 2 | | 2 | | 2 | | 4 | | 1 | | 2 | | 25 | | 5 | | 14 | | 0.00 | | 0.00 | | 0.00 | | 37 | | 24 | | 32 |
| 19 | 火 | | 2 | | 1 | | 2 | | 7 | | 1 | | 3 | | 26 | | 8 | | 14 | | 0.00 | | 0.00 | | 0.00 | | 37 | | 29 | | 35 |
| 20 | 水 | | 2 | | 2 | | 2 | | 7 | | 2 | | 4 | | 27 | | 9 | | 17 | | 0.00 | | 0.00 | | 0.00 | | 38 | | 31 | | 34 |
| 21 | 木 | | 2 | | 2 | | 2 | | 5 | | 2 | | 4 | | 25 | | 13 | | 20 | | 0.00 | | 0.00 | | 0.00 | | 37 | | 31 | | 34 |
| 22 | 金 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 23 | 土 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 24 | 日 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 25 | 月 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 26 | 火 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 27 | 水 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 28 | 木 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 29 | 金 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 | 土 | | 立上げ | | 立上げ | | 立上げ | | 立上げ | | 立上げ | | 立上げ | | 立上げ | | 立上げ | | 立上げ | | 立上げ | | 立上げ | | 立上げ | | 立上げ | | 立上げ | | 立上げ |
| 31 | 日 | | 7 | | 5 | | 6 | | 4 | | 1 | | 3 | | 9 | | 1 | | 6 | | 0.00 | | 0.00 | | 0.00 | | 35 | | 14 | | 29 |
| 最大 | | 2 | 7 | 1 | 5 | 1 | 6 | 6 | 7 | 2 | 3 | 3 | 5 | 32 | 33 | 14 | 18 | 23 | 26 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 40 | 38 | 31 | 33 | 34 | 35 |
| 最小 | | 0 | 1 | 0 | 1 | 0 | 1 | 2 | 4 | 1 | 1 | 1 | 2 | 8 | 9 | 1 | 1 | 5 | 6 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 36 | 34 | 22 | 14 | 32 | 29 |
| 平均 | | 1 | 2 | 0 | 2 | 1 | 2 | 4 | 6 | 1 | 1 | 2 | 3 | 25 | 27 | 7 | 9 | 15 | 18 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 37 | 36 | 27 | 24 | 33 | 32 |
| 自主規制値 | | 30 ppm | | | | | | 20 ppm | | | | | | 50 ppm | | | | | | 0.01 g/m ³ N | | | | | | 50 ppm | | | | | |
| 法規制値 | | 30 ppm | | | | | | 3,500 ppm相当 | | | | | | 430 ppm | | | | | | 0.08 g/m ³ N | | | | | | 250 ppm | | | | | |
| ※ 備考 | 運転管理に基づき | | 1号炉 | | 3月15日立下げ | | 2号炉 | | 3月21日立下げ | | 2号炉 | | 3月30日立上げ | | | | | | | | | | | | | | 休炉 | | | | |